

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



100-57
FALL 1917

RECEIVED
★ SEP 10 1920
U. S. Department of Agriculture
SPRING 1918

Wholesale Trade List

of

The Shrewsbury Nurseries

Geo. A. Steele, Prop.

Eatontown, New Jersey



Attention is especially directed to the low prices at which we offer Norway Maples and Oriental Planes in this list. These trees are well grown, thrifty and first class, and are offered at a very low price, because we are overstocked and wish to reduce.

THE SHREWSBURY NURSERIES

TERMS AND CONDITIONS.

The trees and plants offered in this list have all been carefully grown for our retail trade, and are in excess of our wants for the coming season. The trees have been given plenty of space to make good heads and the shrubs are very heavy and bushy.

CUSTOMERS are requested to state mode of shipping, express or freight, and by what route. When none is given we exercise our judgment, but in no case do we assume responsibility after goods are shipped unless for our own mistakes.

While we exercise the greatest care to have all trees, shrubs and plants sold by us genuine and reliable, and hold ourselves prepared to replace, on proper proof, any that may prove otherwise, we do not give any warranty, expressed or implied, and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods.

All claims for errors or deficiencies must be made immediately upon receipt of the goods.

TERMS.—Cash with order from unknown parties or satisfactory references.

Five hundred will be furnished at the thousand rate; fifty at the hundred rate and five at the ten rate.

The prices annexed do not include packing, which will be charged for at cost.

A certificate of inspection from the State Entomologist will accompany each shipment.

The fall shipping season usually begins here about October 15th, and the Spring season about March 15th.

Eatontown is about forty miles from New York, on the Southern Division of the C. R. R. of N. J.

EATONTOWN, NEW JERSEY

Deciduous Trees

| | Each | Per 10 | Per 100 |
|--|---------|---------|----------|
| Acer Campestris, European Cork Maple. | | | |
| 6 to 8 ft., 1 to 1½ inch caliper..... | \$ 1 00 | \$ 7 50 | |
| 8 to 10 ft., 1½ to 2 " " | 1 25 | 10 00 | |
| 8 to 10 ft., 2 to 2½ " " | 1 75 | 15 00 | |
| Dasycarpum, Silver Maple. | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper..... | 60 | 5 00 | \$ 40 00 |
| 10 to 12 ft., 1¾ to 2 " " | 75 | 6 00 | 50 00 |
| 12 to 14 ft., 2 to 2½ " " | 90 | 7 50 | 65 00 |
| 14 to 16 ft., 2½ to 3 " " | 1 25 | 10 00 | 90 00 |
| 14 to 16 ft., 3 to 4 " " | 2 00 | 17 50 | 150 00 |
| Dasycarpum laciniatum Wieri, Wier's Cut-leaved Silver Maple. | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper | 75 | 6 50 | |
| 10 to 12 ft., 1¾ to 2 " " | 1 00 | 9 00 | |
| 12 to 14 ft., 2 to 2½ " " | 1 50 | 14 00 | |
| 14 to 16 ft., 3 to 4 " " | 2 50 | 20 00 | |
| Japonicum aureum, Golden Japan Maple. | | | |
| 3 to 4 ft | 2 50 | 22 50 | |
| 4 to 5 ft | 3 00 | | |
| Palmatum atropurpureum, Blood-leaved Japan Maple. | | | |
| 3 to 4 ft., specimens..... | 3 00 | 27 50 | |
| 4 to 5 ft.. " | 3 50 | 30 00 | |
| 5 to 6 ft., " | 5 00 | 45 00 | |
| Palmatum atropurpureum dissectum, Purple Cut-leaved Japan Maple. | | | |
| 2 to 3 ft., specimens..... | 3 50 | | |
| 3 to 4 ft., specimens, 6 to 7 ft. across..... | 5 00 | 45 00 | |
| Palmatum dissectum, Cut-leaved Green Japan Maple. | | | |
| 4 to 5 ft., specimens, 4 to 5 ft. across..... | 5 00 | | |
| Pennsylvanicum (Acer striatum), Moosewood. | | | |
| 6 to 7 ft | 75 | 6 00 | |
| 7 to 8 ft | 1 00 | | |
| PLATANOIDES, NORWAY MAPLE. | | | |
| 5 to 6 ft... } Straight, stocky trees for lining... | 15 00 | | |
| 6 to 8 ft... } out in Nursery Rows. | 20 00 | | |
| 8 to 10 ft. } | 25 00 | | |
| 8 to 10 ft., 1¼ to 1½ inch caliper | 75 | 5 00 | 40 00 |
| 8 to 10 ft., 1½ to 1¾ " " | 90 | 7 50 | 60 00 |
| 10 to 12 ft., 1¾ to 2 " " | 1 00 | 9 00 | 75 00 |
| 10 to 12 ft., 2 to 2½ " " | 1 25 | 10 00 | 90 00 |
| 12 to 14 ft., 2½ to 3 " " | 1 75 | 15 00 | 125 00 |
| 12 to 14 ft., 3 to 4 " " | 3 00 | 27 50 | 250 00 |
| 12 to 14 ft., 2½ to 3 inch caliper, specimens..... | 4 00 | 37 50 | |
| 12 to 14 ft., 3 to 3½ " " specimens..... | 5 00 | 47 50 | |
| 12 to 14 ft., 3½ to 4 " " specimens..... | 6 00 | 55 00 | |
| 14 to 16 ft., 4 to 5 " " specimens..... | 7 50 | 70 00 | |

The Norway Maples offered above are thrifty, first-class trees in every respect and are offered at a low price simply because we must reduce our stock of same, which is over large.

The specimens offered were planted eight feet apart each way and have developed beautiful, symmetrical heads, have very straight trunks, and a splendid root system. They are grand trees in all respects and make a fine showing when immediate effect is wanted.

THE SHREWSBURY NURSERIES

| | | Each | Per 10 | Per 100 |
|--|------|-------|--------|---------|
| Acer Platanoides, Schwedleri, Schwedler's Purple Maple. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 75 | 15 00 | | |
| 8 to 10 ft., 1¾ to 2 " " | 2 00 | 17 50 | | |
| 10 to 12 ft., 2 to 2½ " " | 2 50 | 22 50 | | |
| 10 to 12 ft., 2½ to 3 " " | 3 00 | 27 50 | | |
| 12 to 14 ft., 3 to 4 " " | 5 00 | | | |
| 10 to 12 ft., 2 to 2½ inch caliper, specimens..... | 4 00 | 35 00 | | |
| 10 to 12 ft., 2½ to 3 " " | 5 00 | 45 00 | | |
| These specimens are grown eight feet apart each way. They have well-developed heads and straight trunks. | | | | |
| Pseudo-Platanus, Sycamore Maple. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper | 1 00 | 9 00 | | |
| 8 to 10 ft., 1¾ to 2 " " | 1 25 | 10 00 | | |
| 10 to 12 ft., 2 to 2½ " " | 1 35 | 12 50 | | |
| 10 to 12 ft., 2½ to 3 " " | 1 75 | 15 00 | | |
| 12 to 14 ft., 3 to 4 " " | 4 00 | 35 00 | | |
| Pseudo-Platanus purpureascens, Purple Sycamore Maple. | | | | |
| 10 to 12 ft., 2 to 2½ " " | 1 75 | 16 50 | | |
| 12 to 14 ft., 2½ to 3 " " | 2 50 | 22 50 | | |
| 12 to 14 ft., 3 to 4 " " | 5 00 | 45 00 | | |
| Saccharum, Sugar Maple. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 00 | 9 00 | | |
| 10 to 12 ft., 1¾ to 2 " " | 1 50 | 13 50 | | |
| 10 to 12 ft., 2 to 2½ " " | 2 00 | 17 50 | | |
| Taotarium Gininale, Tartarian Maple. | | | | |
| 6 to 8 ft..... | 75 | 6 00 | | |
| 8 to 10 ft..... | 1 00 | 9 00 | | |
| 10 to 12 ft..... | 1 50 | 13 50 | | |
| 12 to 14 ft..... | 2 00 | 17 50 | | |
| Aesculus Glabra, Ohio Buckeye, American Horse Chestnut. | | | | |
| 7 to 8 ft., 1½ to 1¾ inch caliper..... | 75 | 6 00 | | |
| 8 to 10 ft., 1¾ to 2 " " | 1 00 | 9 00 | | |
| 8 to 10 ft., 2 to 2½ " " | 1 50 | 13 50 | | |
| 10 to 12 ft., 2½ to 3 " " | 2 00 | 17 50 | | |
| 10 to 12 ft., 3 to 4 " " | 3 00 | | | |
| Hippocastanum, European Horse Chestnut. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 75 | 6 50 | 50 00 | |
| 8 to 10 ft., 1¾ to 2 " " | 1 00 | 8 50 | 75 00 | |
| 8 to 10 ft., 2 to 2½ " " | 1 50 | 12 50 | 100 00 | |
| 10 to 12 ft., 2½ to 3 " " | 2 00 | 17 50 | | |
| 10 to 12 ft., 3 to 4 " " | 3 00 | 27 50 | | |
| Aralia Spinosa, Angelus Tree, Hercules' Club. | | | | |
| 2 to 3 ft..... | 15 | 1 25 | | |
| 3 to 4 ft..... | 20 | 1 80 | | |
| 4 to 5 ft..... | 25 | 2 00 | | |
| 5 to 6 ft..... | 35 | 3 00 | | |
| Betula Alba, European White Birch. | | | | |
| 6 to 7 ft..... | 75 | 6 00 | | |
| 7 to 8 ft..... | 90 | 8 00 | | |
| 8 to 10 ft..... | 1 00 | 9 00 | | |
| 10 to 12 ft..... | 1 50 | 12 50 | | |
| Carpinus Betulus, European Hornbeam. | | | | |
| 6 to 7 ft..... | 75 | 6 50 | | |
| 7 to 8 ft..... | 1 00 | 8 00 | | |
| 8 to 10 ft., heavy | 2 00 | 18 50 | | |
| 10 to 12 ft., " | 3 00 | 27 50 | | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Carpinus Betulus, European Hornbeam | | | |
| 12 to 14 ft., heavy | 4 00 | | |
| 14 to 16 ft., " | 5 00 | | |
| Catalpa Bungei, Umbrella Tree. | | | |
| 5 year heads } Straight stems, specimen heads | 4 00 | 35 00 | |
| 6 year heads } " | 5 00 | 45 00 | |
| Speciosa, Western Catalpa. | | | |
| 10 to 12 ft., 1½ to 2 inch caliper..... | 70 | 5 00 | |
| 10 to 12 ft., 2 to 2½ " | 75 | 6 00 | |
| 12 to 14 ft., 2½ to 3 " | 1 00 | 9 00 | |
| 12 to 14 ft., 3 to 4 " | 2 00 | 17 50 | |
| Cercidiphyllum Japonicum, Katsura Tree. | | | |
| 10 to 12 ft., 2 to 2½ inch caliper, specimens..... | 3 00 | | |
| 10 to 12 ft., 2½ to 3 " " | 5 00 | | |
| Cercis Canadensis, Red Bud or American Judas Tree. | | | |
| 3 to 4 ft..... | 25 | 2 25 | 20 00 |
| 4 to 5 ft..... | 30 | 2 50 | 22 50 |
| 5 to 6 ft..... | 40 | 3 50 | 30 00 |
| 6 to 7 ft..... | 60 | 5 00 | |
| 7 to 8 ft..... | 75 | 6 50 | |
| 8 to 9 ft..... | 1 25 | 10 00 | |
| Chionanthus Virginica, White Fringe. | | | |
| 2 to 3 ft..... | 20 | 1 75 | 15 00 |
| 3 to 4 ft..... | 25 | 2 00 | 18 00 |
| 4 to 5 ft..... | 30 | 2 50 | |
| Cladrastis Tinctoria (Virgilea Lutea), Yellow Wood. | | | |
| 6 to 7 ft | 1 25 | 10 00 | |
| 7 to 8 ft | 1 50 | 12 50 | |
| 8 to 10 ft..... | 1 75 | 15 00 | |
| 10 to 12 ft | 2 50 | 22 50 | |
| Cornus Florida, White Flowering Dogwood. | | | |
| 3 to 4 ft..... | 50 | 4 00 | 35 00 |
| 4 to 5 ft..... | 60 | 5 00 | 45 00 |
| 5 to 6 ft..... | 75 | 6 50 | 55 00 |
| 6 to 7 ft..... | 90 | 8 50 | 75 00 |
| 7 to 8 ft..... | 1 25 | 10 00 | 90 00 |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| florida Pendula, Weeping Dogwood. | | | |
| 5 to 6 ft., specimens..... | 3 00 | | |
| 6 to 7 ft., " | 5 00 | | |
| 7 to 8 ft., " | 7 50 | | |
| florida Rubra, Red Flowering Dogwood. | | | |
| 3 to 4 ft..... | 1 50 | 13 50 | |
| 4 to 5 ft..... | 2 00 | 17 50 | |
| 5 to 6 ft..... | 2 50 | 22 50 | |
| 6 to 7 ft..... | 3 50 | 32 50 | |
| 7 to 8 ft..... | 5 00 | 47 50 | |
| Crataegus Crus Galli, Cockspur Thorn. | | | |
| 5 to 6 ft., heavy | 50 | 4 00 | |
| 6 to 7 ft, " | 75 | 6 00 | |
| 8 to 10 ft., " | 1 50 | 12 50 | |
| Diospyros Virginiana, Persimmon. | | | |
| 4 to 5 ft..... | 40 | 3 50 | |
| 5 to 6 ft..... | 50 | 4 00 | |
| 6 to 7 ft | 60 | 5 00 | |
| 7 to 8 ft..... | 75 | 6 50 | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|--|-------|--------|---------|
| Diospyros Virginiana, Persimmon | | | |
| 8 to 10 ft..... | 1 25 | 10 00 | |
| Fagus Sylvatica, European Beech. | | | |
| 5 to 6 ft., specimens | 1 50 | 12 50 | |
| 6 to 7 ft., specimens | 1 75 | 15 00 | |
| 7 to 8 ft., specimens | 2 25 | 20 00 | |
| 8 to 9 ft., specimens | 2 75 | 25 00 | |
| 9 to 10 ft., specimens | 3 50 | 30 00 | |
| 10 to 12 ft., specimens | 4 50 | 40 00 | |
| 12 to 14 ft., specimens | 6 00 | 60 00 | |
| 14 to 16 ft., specimens | 7 50 | | |
| 16 to 18 ft., specimens | 10 00 | | |
| Sylvatica Heterophylla (Asplenifolia), Cut-leaf Beech. | | | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 7 ft..... | 2 50 | 22 50 | |
| 7 to 8 ft., specimens | 3 50 | 30 00 | |
| 8 to 9 ft., specimens | 6 00 | 50 00 | |
| 9 to 10 ft., specimens | 10 00 | | |
| 10 to 12 ft., specimens | 15 00 | | |
| Sylvatica Pendula, Weeping Beech. | | | |
| 12 to 14 ft., specimens..... | 7 50 | | |
| 14 to 16 ft., " "..... | 10 00 | | |
| 16 to 18 ft., " "..... | 15 00 | | |
| Sylvatica Purpurea Riversi, Rivers' Purple Beech. | | | |
| 4 to 5 ft | 1 25 | 11 50 | |
| 5 to 6 ft | 1 50 | 13 50 | |
| 6 to 7 ft | 1 75 | 16 50 | |
| 7 to 8 ft..... | 2 25 | 20 00 | |
| 8 to 10 ft..... | 3 00 | 27 50 | |
| Sylvatica Tricolor, Three-color Beech. | | | |
| 6 to 7 ft., specimens..... | 5 00 | | |
| 7 to 8 ft., specimens..... | 7 50 | | |
| Fraxinus Americana, American White Ash. | | | |
| 12 to 14 ft., 2 to 2½ inch caliper..... | 1 35 | 12 50 | |
| 12 to 14 ft., 2½ to 3 " "..... | 2 25 | 20 00 | |
| 14 to 16 ft., 3 to 4 " "..... | 3 50 | 30 00 | |
| Excelsior, European Ash. | | | |
| 10 to 12 ft., 1¾ to 2 " "..... | 1 25 | 10 00 | 90 00 |
| 12 to 14 ft., 2 to 2½ " "..... | 1 50 | 13 50 | |
| 12 to 14 ft., 2½ to 3 " "..... | 2 50 | 22 50 | |
| Ornus, Flowering Ash. | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 90 | 7 50 | |
| 8 to 10 ft., 1¾ to 2 " "..... | 1 25 | 10 00 | |
| 10 to 12 ft., 2 to 2½ " "..... | 1 75 | 15 00 | |
| 10 to 12 ft., 2½ to 3 " "..... | 2 75 | 25 00 | |
| 12 to 14 ft., 3 to 4 " "..... | 5 00 | 45 00 | |
| 14 to 15 ft., 4 to 5 " "..... | 7 50 | 70 00 | |
| Gingko Biloba (<i>Salisburia Adiantifolia</i>), Maidenhair Tree. | | | |
| 8 to 10 ft., 1¼ to 1½ inch caliper..... | 75 | 6 50 | |
| 8 to 10 ft., 1½ to 1¾ " "..... | 1 50 | 13 50 | |
| 10 to 12 ft., 1¾ to 2 " "..... | 1 75 | 15 00 | |
| 10 to 12 ft., 2 to 2½ " "..... | 2 50 | 22 50 | |
| 12 to 14 ft., 2½ to 3 inch caliper..... | 3 50 | 30 00 | |
| Gleditschia Triacanthos, Honey Locust. | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 25 | 11 50 | |
| 10 to 12 ft., 1¾ to 2 " "..... | 1 50 | 13 50 | |

EATONTOWN, NEW JERSEY

| | | Each | Per 10 | Per 100 |
|--|-------|-------|--------|---------|
| Gleditschia Triacanthos, Honey Locust. | | | | |
| 10 to 12 ft., 2 to 2½ inch caliper..... | 1 75 | 16 50 | | |
| 12 to 14 ft., 2½ to 3 " " | 2 50 | 22 50 | | |
| 12 to 14 ft., 3 to 4 " " | 3 50 | 30 00 | | |
| Gymnocladus Canadensis, Kentucky Coffee Tree. | | | | |
| 6 to 7 ft..... | 60 | 5 00 | | |
| 7 to 8 ft..... | 90 | 7 50 | | |
| 8 to 10 ft..... | 1 25 | 11 50 | | |
| Koelreuteria Paniculata, Varnish Tree. | | | | |
| 10 to 12 ft., 2 to 2½ " " | 1 00 | | | |
| 12 to 14 ft., 2½ to 3 " " | 1 50 | | | |
| 12 to 14 ft., 3 to 4 " " | 3 00 | | | |
| Larix Europaea, European Larch. | | | | |
| 8 to 10 ft., specimens..... | 5 00 | | | |
| 10 to 12 ft., specimens..... | 7 50 | | | |
| 12 to 14 ft. specimens..... | 10 00 | | | |
| 14 to 16 ft., specimens..... | 15 00 | | | |
| 16 to 18 ft., specimens..... | 20 00 | | | |
| 20 to 22 ft., specimens..... | 25 00 | | | |
| Leptolepis, Chinese Larch. | | | | |
| 4 to 5 ft..... | 50 | | | |
| 5 to 6 ft..... | 60 | | | |
| 6 to 7 ft..... | 75 | | | |
| 7 to 8 ft..... | 1 00 | | | |
| 10 to 12 ft., specimens..... | 7 50 | | | |
| 12 to 14 ft., specimens..... | 10 00 | | | |
| Liquidamber styraciflua, Sweet Gum. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 2 00 | 17 50 | | |
| 8 to 10 ft., 1¾ to 2 " " | 2 25 | 20 00 | | |
| 10 to 12 ft., 2 to 2½ " " | 2 75 | 25 00 | | |
| 10 to 12 ft., 2½ to 3 " " | 3 50 | 30 00 | | |
| 12 to 14 ft., 3 to 4 " " | 5 00 | 45 00 | | |
| Magnolia Obovata (Magnolia Purpurea). | | | | |
| 3 to 4 ft., with ball and burlapped..... | 1 25 | | | |
| 4 to 5 ft., " " " " | 1 50 | | | |
| 5 to 6 ft., " " " " | 2 00 | | | |
| 6 to 7 ft., " " " " | 3 00 | | | |
| Soulangeana, Chinese Magnolia. | | | | |
| 3 to 4 ft., with ball and burlapped..... | 1 75 | 16 50 | | |
| 4 to 5 ft., " " " " | 2 00 | 18 50 | | |
| 5 to 6 ft., " " " " specimens.. | 5 00 | 47 50 | | |
| 6 to 7 ft., " " " " specimens.. | 7 50 | | | |
| Soulangeana Lennei, Late-flowering Red Magnolia. | | | | |
| 3 to 4 ft., specimens with ball and burlapped.. | 2 50 | | | |
| 4 to 5 ft., " " " " " | 3 50 | | | |
| 5 to 6 ft., " " " " " | 5 00 | | | |
| 6 to 7 ft., " " " " " | 7 50 | | | |
| 7 to 8 ft., " " " " " | 10 00 | | | |
| Morus Alba Pendula, Tea's Weeping Mulberry. | | | | |
| 3 year heads..... | 1 25 | 10 00 | | |
| 5 year heads, 3 to 4 ft. spread, specimens.. | 2 50 | 23 50 | | |
| 6 year heads, 4 to 5 ft. spread, specimens..... | 3 50 | 32 50 | | |
| Oxydendron arboreum, (Andromeda arboreum) Sourwood, Sorrel Tree. | | | | |
| 2 to 3 ft..... | 40 | 3 50 | | |
| 3 to 4 ft..... | 50 | 4 00 | | |
| 4 to 5 ft.. .. | 60 | 5 00 | | |

THE SHREWSBURY NURSERIES

| | | Each | Per 10 | Per 100 |
|--|--|-------|--------|---------|
| Oxydendron arboreum (Andromeda arboreum), Sourwood, Sorrel Tree, | | | | |
| 5 to 6 ft..... | | 75 | 6 50 | 55 00 |
| 6 to 7 ft..... | | 1 00 | 9 00 | |
| Paulownia Imperialis, Empress Tree. | | | | |
| 10 to 12 ft., 2 to 2½ inch caliper..... | | 1 25 | 10 00 | |
| 12 to 14 ft., 2½ to 3 " "..... | | 2 00 | 17 50 | |
| 12 to 14 ft., 3 to 4 " "..... | | 5 00 | 45 00 | |
| 14 to 16 ft., 4 to 5 " "..... | | 10 00 | | |
| PLATANUS ORIENTALIS, ORIENTAL PLANE. | | | | |
| 6 to 8 ft., 1 to 1¼ inch caliper..... | | 30 | 2 50 | 20 00 |
| 8 to 10 ft., 1¼ to 1½ inch caliper..... | | 40 | 3 50 | 30 00 |
| 8 to 10 ft., 1½ to 1¾ " "..... | | 50 | 4 50 | 40 00 |
| 10 to 12 ft., 1¾ to 2 " "..... | | 90 | 8 00 | 70 00 |
| 12 to 14 ft., 2 to 2½ " "..... | | 1 25 | 10 00 | 90 00 |
| 12 to 14 ft., 2½ to 3 " "..... | | 2 25 | 20 00 | |
| 14 to 15 ft., 3 to 4 " "..... | | 3 50 | 30 00 | |
| 12 to 14 ft., 2 to 2½ inch caliper, specimens..... | | 4 00 | 37 50 | |
| 12 to 14 ft., 2½ to 3 " " specimens..... | | 5 00 | 45 00 | |
| 14 to 15 ft., 3 to 3½ " " specimens..... | | 6 00 | 55 00 | |
| 14 to 16 ft., 3½ to 4 " " specimens..... | | 7 50 | 70 00 | |
| 15 to 18 ft., 4 to 5 " " specimens..... | | 10 00 | 90 00 | |
| The Oriental Planes offered above are well grown, first-class, thrifty trees, and are offered at a low price simply because we are over stocked with them and are anxious to reduce. | | | | |
| The specimens are grown eight feet apart each way, and are very handsome trees. We have a quantity of them. | | | | |
| Orientalis Acerifolia, London Plane. | | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper..... | | 1 00 | 9 00 | 75 00 |
| 10 to 12 ft., 1¾ to 2 " "..... | | 1 25 | 11 50 | 100 00 |
| 12 to 14 ft., 2 to 2½ " "..... | | 1 75 | 16 50 | 150 00 |
| 12 to 14 ft., 2½ to 3 " "..... | | 3 00 | 27 50 | |
| Populus Fastigiata, Lombardy Poplar | | | | |
| 6 to 8 ft..... | | 50 | 4 50 | |
| 8 to 10 ft..... | | 75 | 7 00 | |
| Monilifera, Carolina Poplar | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper | | 75 | 6 50 | |
| 10 to 12 ft., 1¾ to 2 " "..... | | 1 00 | 9 00 | |
| Prunus Avium Flore Pleno, European Double Flowering Cherry. | | | | |
| 10 to 12 ft., 2 to 2½ inch caliper..... | | 2 50 | | |
| 10 to 12 ft., 2½ to 3 " "..... | | 3 00 | | |
| 12 to 14 ft., 3 to 4 " "..... | | 4 00 | | |
| 12 to 14 ft., 4 to 5 " "..... | | 5 00 | | |
| Pendula, Japanese Weeping Cherry. | | | | |
| 6 to 8 ft., 1 to 1½ inch caliper..... | | 1 50 | 13 50 | |
| 1½ to 1¾ inch caliper..... | | 2 00 | 18 50 | |
| 1¾ to 2 " "..... | | 2 50 | | |
| 2 to 2½ " "..... | | 3 00 | | |
| 2½ to 3 " " specimens..... | | 5 00 | | |
| 3 to 4 " " specimens..... | | 7 50 | | |
| Pissardi, Purple-leaved Plum. | | | | |
| 3 to 4 ft..... | | 20 | 1 75 | |
| 4 to 5 ft..... | | 25 | 2 25 | |
| 5 to 6 ft..... | | 30 | 2 50 | |
| Prunus Pissardi, Purple-leaved Plum. | | | | |
| 6 to 7 ft..... | | 50 | 4 50 | |

EATONTOWN, NEW JERSEY

| | | Each | Per 10 | Per 100 |
|--|------|-------|--------|---------|
| Prunus Serotina, Wild Black Cherry. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 50 | 4 50 | | |
| 8 to 10 ft., 1¾ to 2 " " | 60 | 5 50 | | |
| 10 to 12 ft., 2 to 2½ " " | 80 | 7 50 | | |
| 10 to 12 ft., 2½ to 3 " " | 1 00 | 9 00 | | |
| 12 to 14 ft., 3 to 4 " " | 2 00 | 17 50 | | |
| Pseudolarix Kaempferi, Chinese Pseudo-Larch. | | | | |
| 2½ to 3 ft..... | 2 00 | | | |
| 3 to 4 ft..... | 2 50 | | | |
| Quercus Coccinea. Scarlet Oak. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 35 | 12 50 | | |
| 10 to 12 ft., 1¾ to 2 " " | 1 65 | 15 00 | | |
| 10 to 12 ft., 2 to 2½ " " | 2 00 | 17 50 | | |
| 12 to 14 ft., 2½ to 3 " " | 3 00 | | | |
| 12 to 14 ft., 3 to 4 " " | 4 00 | | | |
| Macrocarpa, Mossy Cup Oak. | | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 25 | 11 50 | | |
| 8 to 10 ft., 1¾ to 2 " " | 1 50 | | | |
| 10 to 12 ft., 2 to 2½ " " | 2 00 | | | |
| 10 to 12 ft., 2½ to 3 " " | 3 00 | | | |
| Palustris, Pin Oak | | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper..... | 1 50 | 13 50 | | |
| 10 to 12 ft., 1¾ to 2 " " | 2 00 | 17 50 | | |
| 12 to 14 ft., 2 to 2½ " " | 2 50 | 22 50 | | |
| 12 to 14 ft., 2½ to 3 " " | 3 50 | 32 50 | | |
| 14 to 15 ft., 3 to 4 " " | 6 00 | 55 00 | | |
| 12 to 14 ft., 2 to 2½ inch caliper, specimens.... | 3 50 | 32 50 | | |
| 12 to 14 ft., 2½ to 3 " " specimens.... | 5 00 | 47 50 | | |
| 14 to 15 ft., 3 to 4 " " specimens.... | 7 50 | 70 00 | | |
| Above specimens are planted eight feet apart each way and have beautiful spreading heads and a fine root system. | | | | |
| Salix Babylonica Salomonii. Salomon's Willow. | | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper..... | 75 | 6 50 | | |
| 10 to 12 ft., 1¾ to 2 " " | 90 | 8 50 | 75 00 | |
| 12 to 14 ft., 2 to 2½ " " | 1 00 | 9 00 | 85 00 | |
| 12 to 14 ft., 2½ to 3 " " | 1 50 | 13 50 | | |
| 14 to 16 ft., 3 to 4 " " | 2 00 | 18 50 | | |
| 16 to 18 ft., 4 to 5 " " | 3 50 | 32 50 | | |
| Caprea, Pussy Willow. | | | | |
| 5 to 6 ft., bush form..... | 20 | 1 75 | 15 00 | |
| 6 to 8 ft., " " | 30 | 2 50 | 20 00 | |
| 8 to 10 ft., " " | 50 | 4 50 | 40 00 | |
| 10 to 12 ft., " " | 75 | 6 50 | 55 00 | |
| Sophora Japonica, Pagoda Tree. | | | | |
| 3 to 4 ft..... | 75 | 7 00 | | |
| 4 to 5 ft..... | 1 00 | 9 00 | | |
| 5 to 6 ft..... | 1 25 | 11 50 | | |
| 6 to 8 ft..... | 1 50 | 13 50 | | |
| Syringa Japonica, Japanese Lilac. | | | | |
| 5 to 6 ft..... | 50 | 4 50 | | |
| 6 to 8 ft..... | 75 | 6 50 | | |
| 8 to 10 ft..... | 1 00 | 9 00 | | |
| 10 to 12 ft..... | 1 50 | | | |
| Taxodium distichium, Bald Cypress. | | | | |
| 5 to 6 ft..... | 75 | 6 50 | | |
| 6 to 8 ft..... | 1 00 | 9 00 | | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| Taxodium Distichium pendulum, Weeping Bald Cypress. | | | |
| 10 to 12 ft., 2½ to 3 inch caliper..... | 5 00 | | |
| 12 to 14 ft., 3 to 4 " | 7 50 | 65 00 | |
| Tilia Americana, American Linden. | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 85 | 7 50 | |
| 10 to 12 ft., 1¾ to 2 " | 1 10 | 10 00 | |
| 10 to 12 ft., 2 to 2½ " | 1 50 | 13 50 | |
| 12 to 14 ft., 2½ to 3 " | 5 00 | 47 50 | |
| 14 to 16 ft., 3 to 4 " | 7 50 | 70 00 | |
| These specimen Lindens are grown 8x8 ft apart, have fine heads and a good root system. | | | |
| Argentea (See Tilia Tomentosa.) | | | |
| Cordata (Tilia Vulgaris), Small-leaved European Linden. | | | |
| 8 to 10 ft., 1½ to 1¾ inch caliper..... | 1 00 | 9 00 | |
| 8 to 10 ft., 1¾ to 2 " | 1 50 | 13 50 | |
| 10 to 11 ft., 2 to 2½ " | 1 75 | 16 50 | |
| Platiphyllus, European Large-leaved Linden. | | | |
| 10 to 12 ft., 2 to 2½ inch caliper | 1 50 | 13 50 | |
| 12 to 14 ft., 2½ to 3 " | 2 00 | 18 50 | |
| 14 to 15 ft., 3 to 4 " | 5 00 | | |
| 14 to 15 ft., 4 to 5 " | 7 50 | | |
| Above specimens stand 8x8 feet apart and are very beautiful trees. | | | |
| Tomentosa (Tilia argentea), Silver-leaved Linden. | | | |
| 8 to 10 ft., 1¾ to 2 inch caliper..... | 1 25 | 11 50 | |
| 10 to 12 ft., 2 to 2½ " | 1 75 | 15 00 | |
| 10 to 12 ft., 2½ to 3 " | 3 00 | 27 50 | |
| 12 to 14 ft., 3 to 3½ " | 7 50 | | |
| 12 to 14 ft., 3½ to 4 " | 10 00 | | |
| 14 to 15 ft., 4 to 5 " | 15 00 | | |
| 15 to 16 ft., 5 to 6 " | 20 00 | | |
| Above specimens are grown 8x8 feet apart, have straight stems and very beautiful heads. | | | |
| Ulmus Americana, American Elm | | | |
| 10 to 12 ft., 1½ to 1¾ inch caliper.. | 1 25 | 10 00 | 75 00 |
| 10 to 12 ft., 1¾ to 2 " | 1 50 | 12 50 | 100 00 |
| 12 to 14 ft., 2 to 2½ " | 1 75 | 15 00 | 125 00 |
| 12 to 14 ft., 2½ to 3 " | 2 50 | 22 50 | |
| 14 to 16 ft., 3 to 4 " | 4 00 | 37 50 | |

Deciduous Shrubs

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Althaea (Hibiscus Syriacus), Rose of Sharon. Named single and double flowering varieties. | | | |
| 3 to 4 ft..... | 12 | 1 00 | 9 00 |
| 4 to 5 ft..... | 20 | 1 50 | 13 50 |
| 5 to 6 ft..... | 25 | 2 25 | 20 00 |
| 6 to 7 ft..... | 35 | 3 00 | 25 00 |
| Standards | | | |
| 1 to 1½ inch caliper | 1 00 | 9 00 | |
| 1½ to 2 " | 1 50 | 13 50 | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Althaea Meehani, Variegated, Single-flowering Rose of Sharon | | | |
| 2 to 3 ft..... | 15 | 1 20 | 10 00 |
| 3 to 4 ft..... | 20 | 1 50 | |
| Aralia Pentaphylla (<i>Acanthopanax pentaphyllum</i>). | | | |
| 2 to 3 ft | 15 | 1 25 | |
| 3 to 4 ft..... | 20 | 1 50 | |
| 4 to 5 ft..... | 30 | 2 50 | |
| 5 to 6 ft | 40 | 3 50 | |
| Spinoso, Hercules Club. | | | |
| 2 to 3 ft | 20 | 1 50 | |
| 3 to 4 ft..... | 25 | 2 00 | |
| 4 to 5 ft..... | 30 | 2 50 | |
| 5 to 6 ft | 40 | 3 50 | |
| Azalea Molis, Chinese Azalea, Mixed Colors. | | | |
| 1½ to 2 ft..... | 75 | 6 00 | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| Yodogowa, Double Lilac-pink Flowering Azalea. | | | |
| 1 to 1½ ft..... | 1 50 | 13 50 | |
| 2 to 2½ ft., heavy..... | 2 00 | 17 50 | |
| Benzoin Odoriferum, Spice Bush. | | | |
| 2 to 3 ft..... | 25 | 2 00 | 18 00 |
| 3 to 4 ft..... | 35 | 3 00 | 25 00 |
| 4 to 5 ft..... | 50 | 4 50 | 35 00 |
| 5 to 6 ft..... | 75 | 6 00 | 50 00 |
| Berberis Thunbergi, Japanese Barberry. | | | |
| 1 to 1½ ft..... | 10 | 80 | 6 00 |
| 1½ to 2 ft..... | 15 | 1 00 | 8 00 |
| 2 to 2½ ft., heavy..... | 25 | 2 00 | 15 00 |
| 2½ to 3 ft., heavy..... | 35 | 2 50 | 20 00 |
| 3 to 4 ft., heavy | 50 | 4 50 | 35 00 |
| Calycanthus Floridus, Scented Shrub. | | | |
| 2 to 3 ft | 18 | 1 50 | |
| 3 to 4 ft..... | 20 | 1 75 | |
| Cercis Canadensis, Red Bud or American Judas Tree. | | | |
| 3 to 4 ft..... | 25 | 2 25 | 20 00 |
| 4 to 5 ft..... | 30 | 2 50 | 22 50 |
| 5 to 6 ft..... | 40 | 3 50 | 30 00 |
| 6 to 7 ft..... | 60 | 5 00 | |
| 7 to 8 ft..... | 75 | 6 50 | |
| 8 to 9 ft | 1 25 | 10 00 | |
| Japonica, Japanese Judas. | | | |
| 1 to 2 ft | 20 | 1 50 | 12 00 |
| 2 to 3 ft..... | 30 | 2 50 | |
| Chionanthus Virginica, White Fringe. | | | |
| 2 to 3 ft..... | 20 | 1 75 | 15 00 |
| 3 to 4 ft | 25 | 2 00 | 18 00 |
| 4 to 5 ft..... | 30 | 2 50 | |
| Clethra Alnifolia, Sweet Pepper Bush | | | |
| 2 to 3 ft..... | 25 | 2 00 | 15 00 |
| 3 to 4 ft..... | 30 | 2 50 | 20 00 |
| 4 to 5 ft..... | 40 | 3 50 | |
| Cydonia Japonica, Japanese Quince | | | |
| 2 to 3 ft..... | 20 | 1 75 | |
| 3 to 4 ft..... | 25 | 2 00 | |
| Japonica Rubra, Red-flowering Japanese Quince | | | |
| 2 to 3 ft..... | 25 | 2 00 | 15 00 |

THE SHREWSBURY NURSERIES

| | | Each | Per 10 | Per 100 |
|---|----|------|--------|---------|
| Cydonia Japonica Rubra, Red-flowering Japanese Quince | | | | |
| 3 to 4 ft | 30 | 2 50 | 20 00 | |
| Deutzia Gracilis | | | | |
| 12 to 15 inches | 25 | 2 00 | 15 00 | |
| 15 to 18 “ | 30 | 2 50 | 20 00 | |
| Gracilis Carminea | | | | |
| 2 to 3 ft..... | 25 | 2 00 | | |
| 3 to 4 ft..... | 30 | 2 50 | | |
| Gracilis Venusta | | | | |
| 1 to 2 ft..... | 30 | 2 50 | | |
| Diervilla (See Weigela) | | | | |
| Elaeagnus Longipes | | | | |
| 3 to 4 ft..... | 20 | 1 75 | 15 00 | |
| 4 to 5 ft..... | 25 | 2 00 | 18 00 | |
| 5 to 6 ft | 35 | 3 00 | 25 00 | |
| 6 to 7 ft | 50 | 4 00 | 35 00 | |
| Euonymous Alatus, Winged Burning Bush | | | | |
| 3 to 4 ft..... | 50 | 4 00 | 35 00 | |
| 4 to 5 ft..... | 75 | 6 50 | | |
| Exochorda Grandiflora, Pearl Bush | | | | |
| 3 to 4 ft..... | 25 | 2 00 | | |
| 4 to 5 ft | 30 | 2 50 | | |
| 5 to 6 ft | 35 | 3 00 | | |
| 6 to 7 ft | 50 | 4 00 | | |
| Forsythia Suspensa, Golden Bell | | | | |
| 3 to 4 ft.,..... | 20 | 1 75 | 15 00 | |
| 4 to 5 ft | 25 | 2 00 | 18 00 | |
| 5 to 6 ft | 30 | 2 50 | 20 00 | |
| Suspensa Fortunei, Fortune's Golden Bell | | | | |
| 3 to 4 ft..... | 20 | 1 75 | 15 00 | |
| 4 to 5 ft..... | 25 | 2 00 | 18 00 | |
| Hibiscus (See Althaea) | | | | |
| Hydrangea Arborescens, Wild Hydrangea | | | | |
| 3 to 4 ft..... | 20 | 1 50 | | |
| 4 to 5 ft | 25 | 2 00 | | |
| 5 to 6 ft | 35 | 3 00 | | |
| Arborescens Grandiflora, Snowball Hydrangea | | | | |
| 2 to 3 ft..... | 20 | 1 75 | 15 00 | |
| 3 to 4 ft | 25 | 2 25 | 20 00 | |
| Paniculata, (Single Type) | | | | |
| 2 to 3 ft..... | 25 | 2 00 | 15 00 | |
| 3 to 4 ft | 30 | 2 50 | 20 00 | |
| 4 to 5 ft..... | 35 | 3 00 | | |
| Paniculata Grandiflora | | | | |
| 2 to 3 ft | 20 | 1 75 | 15 00 | |
| 3 to 4 ft | 25 | 2 25 | 20 00 | |
| Hypericum Aureum, St. John's Wort | | | | |
| 1 to 2 ft..... | 15 | 1 25 | 10 00 | |
| 2 to 3 ft..... | 20 | 1 50 | 12 00 | |
| 3 to 4 ft | 25 | 1 75 | 15 00 | |
| Ilex Verticillata | | | | |
| 2 to 3 ft..... | 25 | 2 00 | | |
| 3 to 4 ft | 30 | 2 50 | | |
| Kerria Japonica, Argentea-Variegata, Silver Kerria | | | | |
| 1 to 2 ft | 20 | 1 50 | 12 00 | |
| 2 to 3 ft | 25 | 2 00 | | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|--|-------|--------|---------|
| Kerria Japonica fl. pl., Double-flowering Kerria 1 to 2 ft..... | 20 | 1 50 | |
| Laurus Benzoin (See Benzoin) | | | |
| Ligustrum Ibota Regelianum, Regel's Privet 2 to 3 ft | 20 | 1 50 | 12 00 |
| 3 to 4 ft | 25 | 2 00 | |
| Ovalifolium, California Privet 2 to 3 ft., 2 years..... | | 60 | 4 00 |
| 3 to 4 ft., 2 years, heavy..... | | 70 | 5 00 |
| 1½ to 2 ft. across, Globe-shaped..... | 75 | 6 50 | |
| 2 to 3 ft. across, Globe-shaped..... | 100 | 9 00 | |
| Pyramids | | | |
| 5 to 6 ft. high..... | 3 00 | 27 50 | |
| 6 to 7 ft. " | 4 00 | 37 50 | |
| Standards. Specimens with very large heads..... | 10 00 | 90 00 | |
| Ovalifolium aureum elegantissima, Golden Privet 1 to 2 ft..... | 20 | 1 75 | 15 00 |
| 2 to 3 ft | 35 | 3 00 | 25 00 |
| Lonicera fragrantissima, Bush Honeysuckle 3 to 4 ft..... | 25 | 2 00 | 15 00 |
| 4 to 5 ft..... | 35 | 2 50 | 20 00 |
| 5 to 6 ft..... | 50 | 4 00 | 35 00 |
| Tartaria, Tartarian Honeysuckle 2 to 3 ft..... | 20 | 1 75 | |
| 3 to 4 ft..... | 25 | 2 00 | |
| 4 to 5 ft..... | 30 | 2 50 | |
| Myrica cerifera. Wax Myrtle 1 to 2 ft..... | 25 | 2 00 | 15 00 |
| 2 to 3 ft..... | 30 | 2 50 | 20 00 |
| Oxydendron arboreum, (Andromeda arboreum), Sourwood, Sorreltree 2 to 3 ft | 40 | 3 50 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 60 | 5 00 | |
| 5 to 6 ft..... | 75 | 6 50 | 55 00 |
| 6 to 7 ft..... | 100 | 9 00 | |
| Philadelphus coronarius, Sweet-scented Mock Orange 2 to 3 ft..... | 15 | 1 25 | 10 00 |
| 3 to 4 ft..... | 18 | 1 50 | 12 00 |
| 4 to 5 ft..... | 20 | 1 75 | 15 00 |
| 5 to 6 ft..... | 25 | 2 25 | 20 00 |
| 6 to 7 ft..... | 35 | 3 00 | 25 00 |
| 7 to 8 ft..... | 50 | 4 50 | |
| Grandiflorus, Large-flowering Mock Orange 2 to 3 ft..... | 15 | 1 25 | 10 00 |
| 3 to 4 ft..... | 18 | 1 50 | |
| 4 to 5 ft..... | 20 | 1 75 | 15 00 |
| 5 to 6 ft..... | 25 | 2 25 | 20 00 |
| 6 to 7 ft..... | 35 | 3 00 | 25 00 |
| 7 to 8 ft..... | 50 | 4 50 | |
| Lemoinei, Hybrid Mock Orange 2 to 3 ft..... | 15 | 1 25 | 10 00 |
| 3 to 4 ft..... | 18 | 1 50 | 12 00 |
| 4 to 5 ft..... | 20 | 1 75 | 15 00 |
| Lemoinei, "Mont Blanc" 2 to 3 ft | 20 | 1 50 | |
| 3 to 4 ft..... | 25 | 2 00 | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Rhus aromatica (<i>Rhus Canadensis</i>), Sweet-scented Sumach | | | |
| 1 to 2 ft..... | 25 | 2 25 | 20 00 |
| Rosa rugosa, Japanese Rose | | | |
| 1½ to 2 ft..... | 15 | 1 25 | 10 00 |
| 2 to 2½ ft | 20 | 1 50 | 12 00 |
| 2½ to 3 ft..... | 25 | 2 00 | 15 00 |
| 3 to 4 ft..... | 35 | 3 00 | |
| Sambucus nigra aurea, Golden Elder. | | | |
| 2 to 3 ft..... | 25 | 2 00 | |
| 3 to 4 ft..... | 30 | 2 50 | |
| Spiraea opulifolia (<i>Physocarpus</i>). | | | |
| 4 to 5 ft | 20 | 1 50 | 12 00 |
| 5 to 6 ft | 25 | 2 00 | |
| Thunbergi. | | | |
| 2 to 3 ft..... | 25 | 2 25 | |
| Van Houttei. | | | |
| 3 to 4 ft..... | 20 | 1 75 | 15 00 |
| 4 to 5 ft..... | 25 | 2 25 | 20 00 |
| 5 to 6 ft | 30 | 2 75 | 25 00 |
| Symporicarpus racemosus, Snowberry. | | | |
| 2 to 3 ft | 20 | 1 50 | 12 00 |
| Vulgaris, Indian Currant. | | | |
| 2 to 3 ft | 20 | 1 50 | 12 00 |
| Syringa Japonica (See under Trees). | | | |
| Syringa persica alba, White Persian Lilac. | | | |
| 3 to 4 ft..... | 25 | 2 25 | |
| 4 to 5 ft..... | 30 | 2 50 | |
| 5 to 6 ft | 40 | 3 50 | |
| Rothomagensis, Red Persian Lilac. | | | |
| 2 to 3 ft | 20 | 1 75 | 15 00 |
| 3 to 4 ft..... | 25 | 2 25 | 20 00 |
| 4 to 5 ft..... | 30 | 2 50 | 22 00 |
| 5 to 6 ft | 40 | 3 00 | 25 00 |
| Tamarix parviflora, Tamarisk. | | | |
| 2 to 3 ft | 15 | 1 25 | 10 00 |
| Viburnum acerifolium, Maple-leaved Viburnum. | | | |
| 4 to 5 ft | 50 | 4 00 | 35 00 |
| 5 to 6 ft | 75 | 6 00 | |
| 6 to 7 ft..... | 100 | 9 00 | |
| Lantana, Wayfaring Tree. | | | |
| 2 to 3 ft | 20 | 1 50 | 12 00 |
| 3 to 4 ft..... | 25 | 2 00 | 15 00 |
| 4 to 5 ft..... | 30 | 2 50 | 20 00 |
| Opulus sterile, Common Snowball. | | | |
| 3 to 4 ft..... | 25 | 2 00 | 15 00 |
| 4 to 5 ft..... | 30 | 2 50 | 20 00 |
| Tomentosum, Single-flowering Japanese Snowball. | | | |
| 2 to 3 ft | 25 | 2 25 | |
| 3 to 4 ft | 30 | 2 50 | |
| 4 to 5 ft | 35 | 3 00 | |
| Weigela candida, White. | | | |
| 4 to 5 ft | 20 | 1 75 | 15 00 |
| 5 to 6 ft | 30 | 2 50 | 20 00 |
| 6 to 7 ft..... | 40 | 3 50 | |
| Eva Rathke, Dark Red | | | |
| 2 to 3 ft | 20 | 1 75 | 15 00 |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|------------------------------------|------|--------|---------|
| Weigela Rosea, Rosy Pink | | | |
| 3 to 4 ft..... | 25 | 2 00 | 15 00 |
| 4 to 5 ft..... | 30 | 2 50 | 20 00 |
| 5 to 6 ft..... | 35 | 3 00 | 25 00 |
| Rosea Variegata, Variegated-leaved | | | |
| 2 to 3 ft..... | 25 | 2 00 | |
| 3 to 4 ft..... | 30 | 2 50 | |
| 4 to 5 ft..... | 35 | 3 00 | |
| 5 to 6 ft..... | 40 | 3 50 | |
| Yucca Filamentosa | | | |
| 2 years..... | 15 | 1 25 | 10 00 |
| 3 years..... | 20 | 1 75 | 15 00 |
| 4 years..... | 25 | 2 25 | 20 00 |

Vines and Climbers

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Ampelopsis Quinquefolia, Virginia Creeper | | | |
| 2 years, 3 to 4 ft..... | 15 | 1 00 | 8 00 |
| 3 years, 4 to 6 ft..... | 20 | 1 50 | 10 00 |
| Tricolor (<i>Vitis Tricolor</i>) | | | |
| 2 years, heavy..... | 25 | 2 00 | 15 00 |
| Veitchii, Boston Ivy | | | |
| 2 years..... | 15 | 1 25 | 10 00 |
| Bignonia, Radicans, Trumpet Vine | | | |
| 2 years..... | 20 | 1 50 | 10 00 |
| 3 years..... | 25 | 2 00 | 15 00 |
| Celastrus scandens | | | |
| 2 to 3 ft..... | 20 | 1 50 | |
| Clematis paniculata | | | |
| 2 years..... | 15 | 1 25 | 10 00 |
| 3 years..... | 20 | 1 50 | 12 00 |
| Euonymous Radicans | | | |
| 2 years..... | 15 | 1 00 | 8 00 |
| 3 years..... | 20 | 1 50 | 10 00 |
| Radicans Variegata, "Silver Gem," Improved Variegated-leaved | | | |
| 2 years..... | 20 | 1 50 | 10 00 |
| 3 years..... | 25 | 2 00 | 15 00 |
| Radicans Variegata, Variegated-leaved Form | | | |
| 2 years..... | 20 | 1 50 | 10 00 |
| 3 years..... | 25 | 2 00 | 15 00 |
| Radicans Vegeta, Strong-growing Form | | | |
| 2 years..... | 20 | 1 50 | |
| Hedera Helix, English Ivy | | | |
| 2 to 3 ft., 4 inch pots..... | 25 | 2 00 | 15 00 |
| 6 to 8 ft., 13 inch tubs, specimens..... | 2 50 | | |
| Hydrangea Petiolaris, (<i>Hydrangea scandens</i>), Climbing Hydrangea | | | |
| 1 to 2 ft., 4 inch pots..... | 50 | 4 50 | |
| Lonicera Japonica, (<i>Lonicera Halleiana</i>), Japanese Honeysuckle | | | |
| 2 years..... | 10 | .75 | 6 00 |
| 3 years..... | 15 | 1 25 | 10 00 |
| Pueraria Thunbergiana, (<i>Dolichos Japonicus</i>) Kudzu Vine | | | |
| 3 years..... | 50 | 4 50 | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|----------------------------------|------|--------|---------|
| Rosa, Crimson Rambler. | | | |
| 2 to 3 ft..... | 25 | 2 00 | 17 50 |
| 3 to 4 ft..... | 30 | 2 50 | 20 00 |
| 4 to 5 ft..... | 35 | 3 00 | 25 00 |
| 5 to 6 ft | 50 | 4 00 | |
| Dorothy Perkins | | | |
| 2 to 3 ft..... | 25 | 2 00 | 17 50 |
| 3 to 4 ft..... | 30 | 2 50 | 20 00 |
| 4 to 5 ft..... | 35 | 3 00 | 25 00 |
| Tecoma, See Bignonia | | | |
| Vinca minor. | | | |
| 2 years..... | 10 | 75 | 6 00 |
| Vitis tricolor (See Ampelopsis). | | | |
| Wistaria Chinensis, Blue. | | | |
| 3 to 4 ft..... | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| Chinensis alba, White. | | | |
| 2 to 3 ft..... | 25 | 2 25 | |
| 3 to 4 ft..... | 35 | 3 00 | |

Evergreen Trees.

Our Evergreens are a particularly fine lot, having been frequently transplanted and given plenty of space in which to develop. **Prices quoted include balling and burlapping.**

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| Abies balsamea, Balsam Fir. | | | |
| 3 to 4 ft..... | 1 00 | | |
| 4 to 5 ft | 1 50 | | |
| 5 to 6 ft..... | 2 50 | | |
| Canadensis (See Tsuga). | | | |
| Cephalonica, Cephalonian Fir. | | | |
| 2½ to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 3 50 | 30 00 | |
| 4 to 5 ft..... | 5 00 | 45 00 | |
| 5 to 6 ft..... | 7 50 | 70 00 | |
| 6 to 7 ft..... | 10 00 | | |
| Concolor, White Fir. | | | |
| 3 to 4 ft..... | 5 00 | 45 00 | |
| 4 to 5 ft..... | 6 00 | 55 00 | |
| 5 to 6 ft..... | 7 50 | 70 00 | |
| 6 to 7 ft..... | 10 00 | | |
| Lasiocarpa (Ab. Subalpina), Western Balsam Fir. | | | |
| 3 to 4 ft..... | 1 00 | | |
| 4 to 5 ft..... | 1 50 | | |
| 5 to 6 ft..... | 2 50 | | |
| Nordmanniana, Nordmann's Fir. | | | |
| 2 to 2½ ft..... | 1 50 | 13 50 | |
| 2½ to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 3 50 | 30 00 | |
| 4 to 5 ft..... | 5 00 | 45 00 | |
| 5 to 6 ft., specimens..... | 7 50 | | |
| 6 to 7 ft., specimens..... | 10 00 | | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|--|-------|--------|---------|
| Abies Pinsapo, Spanish Fir. | | | |
| 2 to 2½ ft..... | 1 50 | 13 50 | |
| 2½ to 3 ft..... | 1 75 | 16 50 | |
| 3 to 4 ft..... | 2 50 | 22 50 | |
| 4 to 5 ft..... | 4 00 | 37 50 | |
| 5 to 6 ft., specimens..... | 8 00 | | |
| 5 to 6 ft., specimens..... | 12 00 | | |
| Veitchia, Japanese Fir. | | | |
| 5 to 6 ft., specimens..... | 6 00 | | |
| 6 to 7 ft., specimens..... | 8 00 | | |
| 7 to 8 ft., specimens..... | 12 00 | | |
| Cedrus Atlantica Glauca, Mount Atlas Silver Cedar | | | |
| 4 to 5 ft..... | 3 00 | | |
| 5 to 6 ft..... | 4 00 | | |
| 6 to 7 ft..... | 6 00 | | |
| Cryptomeria Japonica Dacrydioides, Japanese Weeping Cedar. | | | |
| 2 to 2½ ft..... | 2 50 | | |
| 2½ to 3 ft..... | 3 50 | | |
| 3 to 4 ft..... | 5 00 | | |
| Japonica Lobbi Compacta, Japanese Cedar. | | | |
| 5 to 6 ft..... | 4 00 | | |
| 6 to 7 ft..... | 5 00 | | |
| Ilex Opaca, American Holly. | | | |
| 2 to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 2 50 | 22 50 | |
| 4 to 5 ft..... | 3 00 | | |
| Juniperus Chinensis Mascula, Chinese Juniper. | | | |
| 5 to 6 ft..... | 5 00 | | |
| Chinensis Pfitzeriana, Pfitzer's Juniper. | | | |
| 2½ to 3 ft..... | 2 25 | 20 00 | |
| 3 to 4 ft..... | 3 00 | 27 50 | |
| 4 to 5 ft..... | 4 00 | 37 50 | |
| 5 to 6 ft..... | 6 00 | | |
| Sabina, Savin Juniper. | | | |
| 2½ to 3 ft..... | 2 00 | | |
| 3 to 4 ft..... | 3 00 | | |
| Virginiana, Red Cedar. | | | |
| 2½ to 3 ft., Extra fine..... | 1 25 | 10 00 | |
| 3 to 4 ft., " "..... | 1 50 | 13 50 | |
| 4 to 5 ft., " "..... | 2 00 | 17 50 | |
| 5 to 6 ft., " "..... | 4 00 | 37 50 | |
| 6 to 7 ft., " "..... | 5 00 | | |
| Virginiana Cannarti, Weeping Cedar. | | | |
| 5 to 6 ft..... | 5 00 | 47 50 | |
| 6 to 7 ft..... | 7 50 | 70 00 | |
| Virginiana Elegantissima Lee, Golden-tipped Cedar. | | | |
| 3 to 4 ft..... | 2 50 | | |
| 4 to 5 ft..... | 3 50 | | |
| 5 to 6 ft..... | 5 00 | | |
| 6 to 7 ft..... | 7 50 | | |
| Virginiana Schottii | | | |
| 3 to 4 ft..... | 2 50 | | |
| 4 to 5 ft..... | 3 50 | 32 50 | |
| 5 to 6 ft..... | 5 00 | 47 50 | |
| 6 to 7 ft..... | 7 50 | 70 00 | |

THE SHREWSBURY NURSERIES

| | | Each | Per 10 | Per 100 |
|--|--|-------|--------|---------|
| <i>Juniperus Neaboriensis</i> , (Jun. Macrocarpa). | | | | |
| 3 to 4 ft.,..... | | 2 50 | | |
| 4 to 5 ft..... | | 3 50 | | |
| 5 to 6 ft..... | | 5 00 | | |
| <i>Picea Alcockiana</i> , Alcock's Spruce. | | | | |
| 2½ to 3 ft..... | | 2 00 | | |
| 3 to 4 ft..... | | 2 50 | | |
| 4 to 5 ft..... | | 3 50 | | |
| 5 to 6 ft..... | | 5 00 | | |
| 6 to 7 ft..... | | 8 00 | | |
| 7 to 8 ft..... | | 12 00 | | |
| <i>Engelmanni</i> , Engelmann's Spruce. | | | | |
| 2½ to 3 ft | | 1 50 | 13 50 | |
| 3 to 4 ft..... | | 2 50 | 22 50 | |
| 4 to 5 ft., specimens..... | | 5 00 | | |
| 5 to 6 ft., specimens..... | | 7 50 | | |
| <i>Excelsa</i> , Norway Spruce. | | | | |
| 6 to 7 ft., Well-furnished Trees..... | | 2 00 | 18 50 | |
| 7 to 8 ft., " " " " | | 3 00 | 27 50 | |
| 8 to 9 ft., " " " " | | 4 00 | 37 50 | |
| 9 to 10 ft., " " " " | | 5 00 | 47 50 | |
| 10 to 12 ft., " " " " | | 7 50 | 70 00 | |
| <i>Excelsa Aurea</i> , Golden Spruce. | | | | |
| 7 to 8 ft., specimens..... | | 5 00 | | |
| 8 to 9 ft., specimens | | 7 50 | | |
| <i>Excelsa Elegans Pendula</i> , Weeping Spruce. | | | | |
| 5 to 6 ft., specimens..... | | 3 00 | | |
| 6 to 7 ft., specimens..... | | 3 50 | | |
| 7 to 8 ft., specimens | | 5 00 | | |
| 8 to 9 ft., specimens..... | | 7 50 | | |
| <i>Excelsa Gregoriana</i> , Dwarf Compact Spruce. | | | | |
| 2 to 2½ ft., specimens..... | | 5 00 | | |
| 2½ to 3 ft., 4 to 5 ft. across. Specimens..... | | 10 00 | | |
| 3 to 4 ft., 4 to 5 ft. across. Specimens..... | | 15 00 | | |
| <i>Excelsa Maxwellii</i> , Dwarf Globular Norway Spruce. | | | | |
| 1 to 1½ ft | | 2 50 | | |
| 1½ to 2 ft | | 3 50 | | |
| <i>Maximowiczi</i> , Japanese Spruce. | | | | |
| 2 to 2½ ft..... | | 2 00 | | |
| 2½ to 3 ft | | 2 50 | | |
| 3 to 4 ft..... | | 3 00 | | |
| 4 to 5 ft | | 4 00 | | |
| 5 to 6 ft., specimens | | 5 00 | | |
| 6 to 7 ft., specimens | | 8 00 | | |
| <i>Omorika</i> , Servian Spruce. | | | | |
| 2½ to 3 ft..... | | 2 00 | | |
| 3 to 4 ft..... | | 3 50 | | |
| 4 to 5 ft..... | | 4 50 | | |
| <i>Orientalis</i> , Oriental Spruce. | | | | |
| 2 to 2½ ft. | | 2 00 | 17 50 | |
| 2½ to 3 ft | | 2 50 | 22 50 | |
| 3 to 4 ft | | 3 00 | 27 50 | |
| 4 to 5 ft..... | | 4 00 | | |
| 5 to 6 ft..... | | 5 00 | | |
| 6 to 7 ft..... | | 8 00 | | |
| 7 to 8 ft | | 12 00 | | |

EATONTOWN, NEW JERSEY

| | | Each | Per 10 | Per 100 |
|---|-------|-------|--------|---------|
| Picea Orientalis, Oriental Spruce | | | | |
| 8 to 9 ft | 15 00 | | | |
| Polita, Tiger's Tail Spruce | | | | |
| 2 to 2½ ft | 2 50 | | | |
| 2½ to 3 ft | 3 50 | | | |
| 3 to 3½ ft | 4 50 | | | |
| Pungens, Green Colorado Spruce. | | | | |
| 2 to 2½ ft | 1 25 | 11 50 | | |
| 2½ to 3 ft | 1 50 | 13 50 | | |
| 3 to 4 ft | 2 00 | 17 50 | | |
| 4 to 5 ft , specimens | 3 00 | 27 50 | | |
| 5 to 6 ft., specimens | 4 00 | 37 50 | | |
| Pungens Glauca (Picea Parryana Glauca), Colorado Blue Spruce. | | | | |
| 2½ to 3 ft | 3 00 | 27 50 | | |
| 3 to 4 ft | 4 00 | 37 50 | | |
| 4 to 5 ft., specimens | 6 00 | 55 00 | | |
| 5 to 6 ft., specimens | 7 50 | 70 00 | | |
| 6 to 7 ft., specimens | 10 00 | | | |
| Pungens Kosteriana Glauca, Koster's Blue Spruce | | | | |
| 2 to 2½ ft | 3 00 | 27 50 | | |
| 2½ to 3 ft | 4 00 | 37 50 | | |
| 3 to 4 ft | 5 00 | 47 50 | | |
| 4 to 5 ft., specimens | 7 00 | 65 00 | | |
| 5 to 6 ft., specimens | 10 00 | 90 00 | | |
| 6 to 7 ft., specimens | 15 00 | | | |
| Sitchensis, Picea Menziesi, Sitka Spruce. | | | | |
| 3 to 4 ft | 2 00 | 17 50 | | |
| 4 to 5 ft | 3 00 | 27 50 | | |
| 5 to 6 ft | 5 00 | 47 50 | | |
| Pinus Austriaca, Austrian Pine. | | | | |
| 3 to 4 ft | 2 50 | 22 50 | | |
| 4 to 5 ft | 3 50 | 32 50 | | |
| 5 to 6 ft., specimens | 6 00 | 55 00 | | |
| 6 to 7 ft., specimens | 10 00 | 90 00 | | |
| 7 to 8 ft., specimens | 15 00 | | | |
| 8 to 9 ft , specimens | 20 00 | | | |
| Cembra, Swiss Stone Pine. | | | | |
| 1½ to 2 ft | 1 75 | 15 00 | | |
| 2 to 2½ ft | 2 50 | 22 50 | | |
| 2½ to 3 ft | 3 50 | 32 50 | | |
| 3 to 4 ft | 6 00 | 55 00 | | |
| 4 to 5 ft | 8 00 | | | |
| Excelsa, Himalayan Pine. | | | | |
| 2½ to 3 ft | 1 00 | 9 00 | | |
| 3 to 4 ft | 1 75 | 16 50 | | |
| 4 to 5 ft | 2 50 | 22 50 | | |
| 5 to 6 ft | 4 00 | 37 50 | | |
| 6 to 7 ft | 5 00 | 47 50 | | |
| 7 to 8 ft | 7 50 | | | |
| Mugho, Pinus Montana, Mugho or Mountain Pine. | | | | |
| 1 to 1½ ft., spread | 1 00 | 9 00 | | |
| 1½ to 2 ft., " | 1 50 | 13 50 | | |
| 2 to 2½ ft., " | 2 50 | 22 50 | | |
| 2½ to 3 ft., " | 3 50 | 32 50 | | |
| 3 to 4 ft., " | 5 00 | 45 00 | | |
| 4 to 5 ft., " | 8 00 | | | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| Pseudotsuga Mucronata, Pseudotsuga Douglassi, Douglas Spruce. | | | |
| 2½ to 3 ft..... | 1 50 | 13 50 | |
| 3 to 4 ft... | 2 00 | 17 50 | |
| 4 to 5 ft..... | 3 00 | 27 50 | |
| 5 to 6 ft | 4 00 | 37 50 | |
| 6 to 7 ft..... | 5 00 | 45 00 | |
| 7 to 8 ft..... | 7 50 | | |
| Pseudotsuga Mucronata Elegans Glauca, Blue Douglas Spruce. | | | |
| 2 to 2½ ft..... | 1 50 | 13 50 | |
| 2½ to 3 ft... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 2 50 | 22 50 | |
| Retinopora (Chamæcypris) Lawsoniana Alumi. | | | |
| 5 to 6 ft | 5 00 | | |
| 6 to 7 ft | 7 50 | | |
| Nootkatensis, "Triumph of Boskoop. | | | |
| 5 to 6 ft..... | 5 00 | | |
| 6 to 7 ft..... | 7 50 | | |
| Obtusa, Japanese Cypress, Hinoki Cypress. | | | |
| 2 to 2½ ft..... | 2 00 | 17 50 | |
| 2½ to 3 ft..... | 2 50 | 22 50 | |
| 3 to 4 ft..... | 3 50 | 32 50 | |
| 4 to 5 ft..... | 5 00 | | |
| 5 to 6 ft..... | 8 00 | | |
| Obtusa Crippsi, Golden Variety. | | | |
| 2½ to 3 ft..... | 3 50 | | |
| 3 to 4 ft | 5 00 | | |
| Obtusa Gracilis Aurea. | | | |
| 1½ to 2 ft..... | 2 00 | | |
| 2 to 2½ ft..... | 3 00 | 27 50 | |
| 2½ to 3 ft..... | 4 00 | 37 50 | |
| 3 to 4 ft | 5 00 | 47 50 | |
| 4 to 5 ft..... | 7 50 | | |
| Obtusa Lycopodioides, Club-Moss Cypress. | | | |
| 2½ to 3 ft..... | 3 50 | | |
| 3 to 4 ft | 5 00 | | |
| 4 to 5 ft | 7 50 | | |
| 5 to 6 ft | 10 00 | | |
| 6 to 7 ft..... | 15 00 | | |
| Obtusa Nana. | | | |
| 15 to 18 inches..... | 2 00 | | |
| 1½ to 2 ft..... | 3 00 | | |
| 2 to 2½ ft..... | 4 00 | | |
| Obtusa nana aurea. | | | |
| 2½ to 3 ft..... | 3 00 | | |
| 3 to 4 ft | 5 00 | | |
| Obtusa Youngi, | | | |
| 2½ to 3 ft..... | 2 50 | | |
| 3 to 4 ft..... | 3 50 | | |
| 4 to 5 ft..... | 4 50 | | |
| 5 to 6 ft | 6 00 | | |
| Pisifera, Sawara Cypress. | | | |
| 4 to 5 ft | 3 00 | 27 50 | |
| 5 to 6 ft..... | 4 50 | 47 50 | |
| 7 to 8 ft., specimens..... | 7 50 | 70 00 | |
| Pisifera Aurea, Golden Sawara Cypress | | | |
| 2 to 2½ ft..... | 1 50 | 13 50 | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| <i>Retinospora Pisifera</i> , Golden Sawara Cypress | | | |
| 2½ to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 3 00 | 27 50 | |
| 4 to 5 ft..... | 4 00 | 37 50 | |
| 5 to 6 ft..... | 5 00 | 47 50 | |
| <i>Plumosa</i> . | | | |
| 3 to 4 ft..... | 2 00 | | |
| 4 to 5 ft..... | 3 00 | | |
| 5 to 6 ft., specimens..... | 5 00 | | |
| 6 to 7 ft., specimens..... | 7 50 | | |
| 7 to 8 ft., specimens..... | 10 00 | | |
| <i>Plumosa Argentea</i> , Silver-tipped Cypress. | | | |
| 2½ to 3 ft., specimens..... | 2 50 | 22 50 | |
| 3 to 4 ft., 3 to 4 ft. across, specimens..... | 5 00 | 45 00 | |
| 3 to 4 ft., 4 to 5 ft. " specimens..... | 8 00 | | |
| 5 to 6 ft., 4 to 5 ft. " specimens..... | 12 00 | | |
| <i>Plumosa Aurea</i> , Golden Cypress | | | |
| 2½ to 3 ft., very compact..... | 2 00 | 17 50 | |
| 3 to 4 ft., " " | 3 00 | 27 50 | |
| 4 to 5 ft., " " | 4 50 | 42 50 | |
| <i>Squarrosa Sulphurea</i> , | | | |
| 1 to 1½ ft., very compact..... | 1 00 | 9 00 | |
| 1½ to 2 ft., " " | 1 25 | 11 50 | |
| 2 to 2½ ft., " " | 1 50 | 13 50 | |
| 2½ to 3 ft., " " | 2 50 | 22 50 | |
| <i>Sciadopytis Verticillata</i> , Umbrella Pine. | | | |
| 2 to 2½ ft..... | 4 00 | | |
| 2¼ to 3 ft..... | 5 00 | | |
| 3 to 4 ft..... | 6 00 | | |
| 4 to 5 ft..... | 8 00 | | |
| 5 to 6 ft..... | 12 00 | | |
| <i>Taxus Baccata Washingtoni</i> , Golden Yew. | | | |
| 2 to 2½ ft..... | 3 00 | 27 50 | |
| 2½ to 3 ft..... | 4 00 | 37 50 | |
| <i>Capitata</i> . | | | |
| 1½ to 2 ft..... | 3 00 | 27 50 | |
| 2 to 2½ ft..... | 3 50 | 32 50 | |
| <i>Cuspidata</i> , Japanese Yew. | | | |
| 1 to 1½ ft..... | 1 50 | 13 50 | |
| 1½ to 2 ft..... | 2 00 | 17 50 | |
| 2 to 2½ ft..... | 3 00 | | |
| <i>Cuspidata Brevifolia</i> , Dwarf Japanese Yew. | | | |
| 1 to 1½ ft..... | 1 50 | 13 50 | |
| 1½ to 2 ft..... | 2 50 | 22 50 | |
| 2 to 2½ ft..... | 3 50 | 32 50 | |
| <i>Thuya Occidentalis</i> , American Arbor Vitae. | | | |
| 3 to 4 ft..... | 75 | 6 00 | |
| 4 to 5 ft..... | 1 25 | 11 50 | |
| 5 to 6 ft..... | 1 50 | 13 50 | |
| <i>Occidentalis Compacta</i> , Compact Arbor Vitae. | | | |
| 2½ to 3 ft..... | 1 50 | 13 50 | |
| 3 to 4 ft..... | 2 00 | 17 50 | |
| <i>Occidentalis</i> , Ellwangeriana. | | | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 2½ to 3 ft..... | 1 50 | 13 50 | |
| 3 to 4 ft..... | 2 00 | 17 50 | |

THE SHREWSBURY NURSERIES

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| Thuya Occidentalis Lutea (George Peabody) Golden Arbor Vitae. | | | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 2½ to 3 ft..... | 1 25 | 11 50 | |
| 3 to 4 ft..... | 1 50 | 13 50 | |
| 4 to 5 ft..... | 2 50 | 22 50 | |
| 5 to 6 ft..... | 4 00 | 37 50 | |
| Occidentalis Rosenthali. | | | |
| 2½ to 3 ft..... | 2 50 | | |
| 3 to 4 ft..... | 4 00 | | |
| Occidentalis Spiralis. | | | |
| 2½ to 3 ft..... | 2 00 | | |
| 3 to 4 ft..... | 3 00 | | |
| 4 to 5 ft..... | 4 50 | | |
| Occidentalis Wareana, Siberian Arbor Vitae. | | | |
| 2 to 2½ ft..... | 1 25 | 11 50 | |
| 2½ to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 3 00 | 27 50 | |
| Orientalis (Biota), Oriental Arbor Vitae. | | | |
| 2½ to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 11 50 | |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| 5 to 6 ft..... | 2 25 | 20 00 | |
| Orientalis Compacta, Compact Oriental Arbor Vitae. | | | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 50 | 22 50 | |
| 5 to 6 ft..... | 3 00 | 27 50 | |
| Standishi (Thuya Japonica). | | | |
| 3 to 4 ft..... | 2 50 | | |
| 4 to 5 ft..... | 3 50 | | |
| Tsuga Canadensis, (Abies Canadensis), Hemlock Spruce. | | | |
| 2 to 2½ ft..... | 1 25 | 11 50 | |
| 2½ to 3 ft..... | 1 50 | 13 50 | |
| 3 to 4 ft..... | 2 00 | 17 50 | |
| 4 to 5 ft., heavy plants..... | 4 00 | 37 50 | |
| 5 to 6 ft., heavy plants..... | 6 00 | 55 00 | |
| 6 to 7 ft., specimens..... | 8 00 | | |
| 7 to 8 ft., specimens..... | 10 00 | | |
| 8 to 9 ft., specimens..... | 15 00 | | |

Evergreen Shrubs

| | Each | Per 10 | Per 100 |
|------------------------------|------|--------|---------|
| Azalea Amoena | | | |
| 12 to 15 inches..... | 75 | 6 50 | 60 00 |
| 15 to 18 “ | 1 00 | 9 00 | 85 00 |
| 18 to 24 “ | 1 50 | 13 50 | 125 00 |
| 2 to 2½ ft..... | 2 00 | 17 50 | |
| Hinodegiri | | | |
| 12 to 15 inches..... | 1 00 | 9 00 | |
| 15 to 18 “ | 1 50 | 13 50 | |
| 18 to 24 “ | 2 00 | 17 50 | |
| Ilex Crenata, Japanese Holly | | | |
| 2 to 2½ ft..... | 1 25 | 11 50 | |
| 2½ to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 3 00 | | |

EATONTOWN, NEW JERSEY

| | Each | Per 10 | Per 100 |
|-----------------------------------|------|--------|---------|
| Ilex Crenata, Japanese Holly | | | |
| 4 to 5 ft..... | 4 00 | | |
| Opaca, American Holly | | | |
| 2 to 3 ft..... | 2 00 | 17 50 | |
| 3 to 4 ft..... | 2 50 | 22 50 | |
| 4 to 5 ft..... | 3 00 | | |
| Kalmia Latifolia, Mountain Laurel | | | |
| 1 to 1½ ft..... | | 75 | 6 50 |
| 1½ to 2 ft..... | | 1 25 | 10 00 |
| 2 to 2½ ft..... | | 2 00 | 17 50 |
| 2½ to 3 ft..... | | 3 00 | 27 50 |
| 3 to 4 ft..... | | 4 00 | 37 50 |

Hardy Ornamental Grasses

| | Each | Per 10 | Per 100 |
|-----------------------------|------|--------|---------|
| Eriauanthus Ravennae | | | |
| Strong Divisions..... | 10 | 75 | 5 00 |
| Heavy Clumps..... | 20 | 1 50 | 10 00 |
| Eulalia Japonica Gracillima | | | |
| Strong Divisions..... | 10 | 75 | 5 00 |
| Heavy Clumps..... | 20 | 1 50 | 10 00 |
| Japonica Variagata | | | |
| Strong Divisions..... | 10 | 75 | 5 00 |
| Heavy Clumps..... | 20 | 1 50 | 10 00 |
| Japonica Zebra | | | |
| Strong Divisions..... | 10 | 75 | 5 00 |
| Heavy Clumps | 20 | 1 50 | 10 00 |

Hardy Herbaceous Perennials.

Prices quoted are for strong, field grown Clumps and NOT small divisions.

| | Per 10 | Per 100 |
|---|--------|---------|
| Achillea Ptarmica. "The Pearl"..... | 80 | 6 00 |
| Agrostemma Coronaria..... | 80 | 6 00 |
| Anthemis Tinctoria..... | 80 | 6 00 |
| Aquilegia vulgaris, Blue..... | 80 | 6 00 |
| Aquilegia vulgaris, Pink..... | 80 | 6 00 |
| Aster Novae Angliae..... | 80 | 6 00 |
| Boltonia Asteroides..... | 80 | 6 00 |
| " Latisquamæ..... | 80 | 6 00 |
| Chelone Lyoni..... | 1 00 | 8 00 |
| Chrysanthemum, Hardy. Pink, Pompon White and White..... | 90 | 7 00 |
| Chrysanthemum, "Shasta Daisy."..... | 80 | 6 00 |
| Coreopsis Lanceolata | 80 | 6 00 |
| Delphinium Belladonna..... | 1 00 | 8 00 |
| " Elatum Hybridum..... | 1 00 | 8 00 |
| " Formosum..... | 1 00 | 8 00 |
| " Grandiflora Chinensis..... | 80 | 6 00 |
| " Hybrids, Dark Blue..... | 1 00 | 8 00 |
| Dianthus Barbatus, Sweet William..... | 70 | 5 00 |
| " Plumarius, Scotch Pink | 1 00 | 8 00 |
| " " Alice Lee, White..... | 1 00 | 8 00 |
| " " Elsie. Pink..... | 1 00 | 8 00 |
| " " Homer, Red..... | 1 00 | 8 00 |
| " " White Reserve..... | 1 00 | 8 00 |
| Digitalis Purpurea Gloxinaeflora, Foxglove..... | 1 00 | 8 00 |

THE SHREWSBURY NURSERIES

| | Per 10 | Per 100 |
|--|--------|---------|
| Echinacea Purpurea..... | I 00 | 8 00 |
| Euphorbia Corollata..... | 80 | 6 00 |
| Funkia Lancifolia | 80 | 6 00 |
| " Ovata..... | 80 | 6 00 |
| " Sieboldiana, Funkia Glauca..... | I 00 | 8 00 |
| " Undulata Media Picta, Variegated Funkia..... | 80 | 6 00 |
| Gaillardia Grandiflora..... | I 00 | 8 00 |
| Helenium Autumnale..... | I 25 | 10 00 |
| " Riverton Gem..... | I 00 | 8 00 |
| Helianthus "Woolly Dod." | 80 | 6 00 |
| Hemerocallis Dumortieri..... | 80 | 6 00 |
| " Fulva..... | 90 | 7 00 |
| " Middendorfi | 80 | 6 00 |
| " Thunbergi..... | 80 | 6 00 |
| Hesperis Matronalis..... | 80 | 6 00 |
| Heuchera Sanguinea..... | I 00 | 8 00 |
| " Alba..... | I 00 | 8 00 |
| " Rosea..... | I 00 | 8 00 |
| Hibiscus, Marsh Mallow, Marvel, Crimson, Pink and White | I 25 | 10 00 |
| Hollyhocks, Double Maroon, Pink, Red, Salmon-Rose, White and Yellow..... | I 25 | 10 00 |
| Iris Germanica in choice named varieties..... | 90 | 7 00 |
| " Kaempferi, in choice named varieties..... | I 25 | 10 00 |
| " Pallida Dalmatica..... | I 25 | 10 00 |
| " Pseudacorus | I 00 | 8 00 |
| " Siberica | 90 | 7 00 |
| Lychnis Chalcedonica..... | 90 | 7 00 |
| " Coronaria (Agrostemma)..... | I 00 | 8 00 |
| Lysimachia Clethroides..... | I 25 | 10 00 |
| Monarda Didyma..... | 80 | 6 00 |
| Pachysandra Terminalis..... | I 50 | 12 00 |
| Paeonias, best named sorts, strong divisions..... | 2 00 | 15 00 |
| Papaver Orientalis, Pot-grown, Oriental Poppy..... | I 25 | 10 00 |
| " Goliath, dark Red, Pot-grown..... | I 25 | 10 00 |
| Penstemon, Digitalis..... | 90 | 7 00 |
| Phlox Ovata, Mountain Phlox..... | I 00 | 8 00 |
| Phlox paniculata, (Phlox Decussata) in the following varieties : | | |
| Bridesmaid, Caran d'Ache, Coquelicot, Eclaireur, Hector | | |
| Jeanne d'Arc, LaCandeur, Lumineaux, Mad. P. Longier, | | |
| Pantheon, R. P. Struthers, Mrs. Jenkins..... | I 00 | 8 00 |
| Phlox Suffruticosa, Miss Lingard..... | I 00 | 8 00 |
| " White Swan..... | I 00 | 8 00 |
| Physostegia Virginiana Alba..... | 80 | 6 00 |
| " Denticulata..... | 80 | 6 00 |
| Platycodon Grandiflorum..... | 90 | 7 00 |
| " Album..... | 90 | 7 00 |
| " Mariesi..... | 90 | 7 00 |
| Primula Officinalis..... | 90 | 7 00 |
| Ranunculus Acris Flore Pleno..... | 90 | 7 00 |
| Rudbeckia Laciniata, "Golden Glow." | 80 | 6 00 |
| " Newmanni | 90 | 7 00 |
| " Purpurea | I 00 | 8 00 |
| Salvia Aurea Grandiflora..... | I 25 | 10 00 |
| Scabiosa Japonica..... | I 00 | 8 00 |
| Stokesia Cyanea..... | 90 | 7 00 |
| Trollius Europaeus..... | I 00 | 8 00 |